

REMARKS

Favorable reconsideration is respectfully requested.

The claims are 1-12.

Claims 1-12 are rejected under 35 U.S.C. §102(b) as being anticipated by Obuchi et al. (U.S.P. 6,417,294).

Claims 1-12 are also rejected under 35 U.S.C. §103(a) as being unpatentable over Obuchi et al.

Applicants respectfully traverse each of these rejections.

Applicants presented comments in favor of the patentability of the present claims in the reply filed on August 18, 2008, which comments are hereby incorporated by reference in their entirety. Applicants also presented test data at pages 4-5 of the August 18, 2008 reply as well.

In the Advisory Action dated September 3, 2008, the Examiner states that the test data included in Applicants' August 18, 2008 reply was not in an affidavit form and thus was not considered.

Accordingly, Applicants hereto attach a Declaration under 37 CFR 1.132 by Naoko Hamada. The attached Declaration is unexecuted. The executed Declaration will be filed in a supplemental reply in the near future.

The arguments presented in the Reply filed August 18, 2008 along with the attached Declaration demonstrate that the present invention is not anticipated by, or in the alternative, obvious over Obuchi et al.

No further issues remaining, allowance of this application is respectfully requested.


If the Examiner has any comments or proposals for expediting prosecution, please contact undersigned at the telephone number below.

Respectfully submitted,

Daisuke ITOH et al.

By: J. Mark Konieczny
J. Mark Konieczny
Registration No. 47,715
for
Matthew M. Jacob
Registration No. 25,154
Attorney for Applicants

JMK/MJ/kh
Washington, D.C. 20006-1021
Telephone (202) 721-8200
Facsimile (202) 721-8250
September 17, 2008



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :

Daisuke ITO et al.

Application S.N.: 10/528,229

Filed: March 18, 2005

For: STRONGLY STRETCHED
ALIPHATIC POLYESTER
MOLDINGS

Group Art Unit: 1794

Examiner: Ellen S. Wood

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

DECLARATION UNDER 37 CFR 1.132

I, the undersigned, Naoko HAMADA, hereby declare as follows:

1. I am a citizen of Japan and a resident of 4-14-25-3-206 Tohkohdai, Ishioka-shi, Ibaraki-ken, Japan.
2. In March 2004, I received my Master of Science degree in chemistry from Graduate School of Humanities and Sciences, Nara Women's University, Japan.
3. Since April 2004, I have been employed at Kureha Corporation (formerly, Kureha Chemical Industry Company, Limited) and have conducted research in the filed of, among others, polymer blends and evaluation of physical properties of bottles and preforms in Resin Processing Laboratory in Polymer Processing & Products Research Laboratories of Kureha Corporation.
4. I am not one of the applicants of the application S.N. 10/528,229 (hereinafter referred to as the instant application). However, I have read carefully the specification and claims which constitute the instant application. Accordingly, I am now familiar with the specification and claims of the instant application.

5. Moreover, I have read carefully and I am familiar with the Official Action dated April 17, 2008, which action rejected Claims 1 – 12 of the instant application. I have read carefully and I am familiar with the reference, Obuchi et al. (US 6,417,294), which is hereinafter referred to as Obuchi ('294). The substance of the Examiner's rejection is believed to be based on the conclusion that Claims 1 – 12 are anticipated by or, in the alternative, obvious over Obuchi ('294).

6. The invention of the instant application (hereinafter referred to as the instant invention) is based on the discovery that only intense stretching, i.e., at a large stretching ratio and at a temperature not substantially higher than a glass-transition temperature (T_g) of a crystalline aliphatic polyester, results in the characteristic effects of the instant invention, i.e., a substantial increase in crystal melting point, main and sub-dispersion peak temperature according to dynamic viscoelasticity measurement, which lead to substantial improvements in retort-durability, gas-barrier property and impact strength. This is already believed to be clearly demonstrated for polyglycolic acid (PGA) by comparison between Examples 1 – 4 and Comparative Examples 1 – 6 in Tables 1 – 2 at page 24 of the instant application. Thus, the intense stretching effects could only be attained by stretching at a large ratio exceeding 3x3 times and at temperatures of 45 – 60°C, which are not substantially above the T_g (=38 – 40°C) but much lower than the melting point (T_g =215 – 220°C) of PGA.

In contrast thereto, Obuchi ('294) only discloses that a container was formed from a parison of polylactic acid (PLA) after heating to 120 °C and blow-expansion at ratios of twice in both the longitudinal and transverse directions in a mold maintained at 120 °C in an injection molding machine (Example 4-1 at col. 27, lines 39 – 43). These stretching conditions of 2x2 times at 120°C (compared with T_g =45 – 60°C and T_m =158 – 163°C of PLA) are clearly not intense but mild for PLA.

Obuchi ('294). refers to stretching only in relation to blow forming, among various forming methods disclosed, at col. 15, line 63 – col. 16, line 4 and Example 4-1 discussed above. At the former part, the mold temperature for the blow forming is only referred to as between T_g (59°C) and T_m (163°C). Thus, Obuchi ('294) fails to disclose intense stretching conditions as taught by the instant invention.

Consequently, Obuchi ('294) is not believed to disclose or suggest a stretched aliphatic polyester product, as in the instant invention, having a substantially increased crystal melting point and substantially increased main and sub-dispersion temperatures than those of an un-stretched product thereof, obtainable through intense stretching of a crystalline aliphatic polyester resin.

7. TEST EXAMPLE

In order to try to corroborate the above arguments, I have, under my direction and control, conducted the following stretching test by using polylactic acid homopolymer ("NATURE WORKS" made by Nature Works Co.; $T_g=55-60^{\circ}\text{C}$, $T_m=160^{\circ}\text{C}$ (as catalog data); and $T_g=57^{\circ}\text{C}$, $T_m=163^{\circ}\text{C}$ (as measured by me), which are comparable to $T_g=59^{\circ}\text{C}$ and $T_m=163^{\circ}\text{C}$ disclosed by Obuchi ('294) (col. 16, lines 1 - 2); and M_w (PMMA(polymethyl methacrylate-based weight-average molecular weight measured by GPC (gel permeation chromatography)) =210,000 - 220,000) in parallel with PGA (showing a melt viscosity of 2500 Pa · s as measured at a temperature of 240°C and a shear rate of 100 sec^{-1} used in Examples of the instant application.

More specifically, each resin was extruded through a T-die at an extrusion temperature of $220-240^{\circ}\text{C}$ to form a cast sheet, from which a yet-unstretched sample sheet measuring 80mm x 80mm x $100\mu\text{m}$ (thickness) was cut out, and the sample sheet was stretched at a ratio of 2x2 times at a stretching speed of 7 m/min. (140%/sec.) at a stretching (preheating) temperature of 120°C for PLA and 80°C for PGA. As a result, the PLA sheet exhibited crystalline melting points of 163°C and 162°C before and after the stretching, respectively, and anti-impact strengths of only 39 N (Force) and 0.06 J (Energy) after the stretching. Thus, the PLA sheet failed to exhibit the intense stretching effects of the present invention, similarly as the PGA sheet stretched at a ratio of 2x2 times at 80°C which exhibited an identical crystalline melting point of 218°C both before and after the stretching and anti-impact strengths of only 6 N (Force) and 0.01 J (Energy) after the stretching.

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Dated: September , 2008

Naoko HAMADA